

Surname	Centre Number	Candidate Number
Other Names		0



GCSE

3300U60-1



MATHEMATICS
UNIT 2: CALCULATOR-ALLOWED
HIGHER TIER

THURSDAY, 7 JUNE 2018 – MORNING

1 hour 45 minutes

ADDITIONAL MATERIALS

A calculator will be required for this paper.

A ruler, a protractor and a pair of compasses may be required.

INSTRUCTIONS TO CANDIDATES

Use black ink or black ball-point pen. Do not use gel pen or correction fluid.

You may use a pencil for graphs and diagrams only.

Write your name, centre number and candidate number in the spaces at the top of this page.

Answer **all** the questions in the spaces provided.

If you run out of space, use the continuation page at the back of the booklet. Question numbers must be given for all work written on the continuation page.

Take π as 3.14 or use the π button on your calculator.

INFORMATION FOR CANDIDATES

You should give details of your method of solution when appropriate.

Unless stated, diagrams are not drawn to scale.

Scale drawing solutions will not be acceptable where you are asked to calculate.

The number of marks is given in brackets at the end of each question or part-question.

In question 3, the assessment will take into account the quality of your linguistic and mathematical organisation, communication and accuracy in writing.

For Examiner's use only		
Question	Maximum Mark	Mark Awarded
1.	4	
2.	3	
3.	6	
4.	4	
5.	3	
6.	5	
7.	6	
8.	5	
9.	6	
10.	2	
11.	3	
12.	4	
13.	3	
14.	2	
15.	4	
16.	4	
17.	5	
18.	4	
19.	Not tested	Summer 21
Total	73	


3300U601
01




JUN183300U60101

Formula List - Higher Tier

Area of trapezium $= \frac{1}{2}(a + b)h$




Volume of prism = area of cross-section $\times$ length




Volume of sphere $= \frac{4}{3}\pi r^3$

Surface area of sphere $= 4\pi r^2$



Volume of cone $= \frac{1}{3}\pi r^2 h$

Curved surface area of cone $= \pi r l$




In any triangle ABC

Sine rule $\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$

Cosine rule $a^2 = b^2 + c^2 - 2bc \cos A$

Area of triangle $= \frac{1}{2}ab \sin C$



The Quadratic Equation

The solutions of $ax^2 + bx + c = 0$ where $a \neq 0$ are given by $x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$



1. (a) Calculate $\frac{145.3}{(12.4 - 9.8)^3}$, giving your answer correct to 3 significant figures. [2]

.....

.....

- (b) Calculate the reciprocal of 47, giving your answer correct to 4 decimal places. [2]

.....

.....

2. Circle the correct answer in each of the following.

- (a) Which of the following values **cannot** be an external angle of a regular polygon? [1]

10° 18° 30° 48° 72°

.....

.....

- (b) An arrow on a spinner is facing north.
It is turned clockwise through an angle of 1530°.
In which direction will the arrow now be facing? [1]

North East South West None of these

.....

.....

- (c) Point A is on a bearing of 100° from point B.
What is the bearing of point B from point A? [1]

260° 100° 280° 180° 80°



4. (a) The highest common factor (HCF) of 30 and 75 is the square root of a number.
What is the number?

[2]

.....

.....

.....

.....

.....

.....

.....

- (b) The cube root of 32·768 is $33\frac{1}{3}\%$ of a number.
What is the number?

[2]

.....

.....

.....

.....

.....

.....



5. PQR is a right-angled triangle, as shown below.
 $PQ = 1.41$ m and $PR = 0.89$ m.




Diagram not drawn to scale

Calculate the length of QR .

[3]

.....

.....

.....

.....

.....

.....


.....

.....



- The decision to walk or take the train is independent of gender.


[3]



- (b) The person chosen at random receives a gift voucher.
What is the probability that this person is female and travelled up the mountain by train? [2]



7. The diagrams below show two similar shapes, $ABCD$ and $PQRS$.



Diagrams not drawn to scale

- (a) Calculate the value of x .

[2]

.....

.....

.....

.....

- (b) Calculate the value of y .

[2]

.....

.....

.....

.....



(c) Explain clearly why the following statement cannot be true.

[2]

'The length of CD is 3.9 cm and the length of RS is 6.5 cm'.

.....

.....

.....

.....

.....

.....

.....



8. A rectangle of length 12 cm and width $(2x - y)$ cm has an area of 72 cm^2 .




Diagram not drawn to scale

$KLMN$ is a kite where $KL = 3x \text{ cm}$ and $LM = y \text{ cm}$.




Diagram not drawn to scale

The perimeter of the kite $KLMN = 33 \text{ cm}$.

Calculate the values of x and y .

You must show all your working.
Do not use a trial and improvement method.

[5]

.....

.....

.....

.....

.....



.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....



9. ABC and CDE are two right-angled triangles.

In triangle ABC , $AB = 6.5$ cm and $BC = 10.4$ cm.

In triangle CDE , $CE = 9.4$ cm.

$$\hat{BCE} = 22^\circ.$$

$$\hat{ACB} = x^\circ.$$




Diagram not drawn to scale

- (a) Calculate the value of x .

[3]

.....

.....

.....

.....

.....

.....



(b) Hence find the length of DE .

[3]

Examiner
only

.....

.....

.....

.....

.....

.....



[2]

[3]



Volume = m³



12. Five quadratic equations are listed below.
Draw a line connecting each equation to its solution.
One has been completed for you.

[4]

Equation	Solution
$x^2 - 4 = 0$	$x = 1, x = -\frac{3}{2}$
	$x = 2, x = -2$
	$x = 1, x = \frac{3}{2}$
$x(2x + 3) = 0$	$x = \frac{4}{9}$
	$x = -1, x = -\frac{2}{3}$
	$x = -\frac{2}{3}, x = \frac{2}{3}$
$(x - 1)(2x - 3) = 0$	$x = \frac{3}{2}, x = -\frac{3}{2}$
	$x = 1, x = -\frac{2}{3}$
	$x = -\frac{9}{4}$
$(2x - 3)(2x + 3) = 0$	$x = 0, x = \frac{2}{3}$
	$x = \frac{81}{16}$
	$x = 0, x = -\frac{3}{2}$
	$x = \frac{3}{2}$
$(4x + 9)^2 = 0$	$x = -\frac{9}{4}, x = 0$

.....

.....

.....

.....

.....



13. The values $a = 27$, $b = 1.9$ and $c = 0.81$ are each correct to 2 significant figures.

Use the formula $d = \frac{a-b}{c}$ to calculate the **least** value of d .

You must show all your working.

[3]

.....

.....

.....

.....

.....

.....

.....



14. A and B are points on a circle with centre O .
Calculate the length of the arc AB shown below.

[2]




Diagram not drawn to scale

.....

.....

.....

.....

.....

.....

.....

.....

.....



15. Express the following as a single fraction in its simplest form.

[4]

$$\frac{2}{3x-5} - \frac{7}{11x-13}$$

Examiner
only

- The probability that two red beads are selected is 0.1369. Calculate the number of red beads in the bag.



17. Solve the equation $(2x + 5)(3x - 11) = 7$.
Give your answers correct to 2 decimal places.

[5]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....



[4]

$$\sqrt{gc^2 - v} = c$$



19. BC is the tangent to the circle at point E , as shown below.

$EC = 8\text{ cm}$, $AC = 11\text{ cm}$ and $\widehat{DCE} = 31^\circ$.




Diagram not drawn to scale

- (a) Calculate the length of AE .

[3]

Not being tested in Summer 2021



(b) Calculate the size of $\hat{CED}$.

[4]

Examiner
only

Not being tested in Summer 2021

END OF PAPER



